

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2834	SSA (static adj single adj assignment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:18
S2	32531	block with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:18
S3	14	S1 same S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:50
S4	14	S3 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:11
S5	2839	SSA (static adj single adj assignment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:50
S6	32657	block with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:50
S7	117	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:53
S8	1437	717/140-148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:54
S9	18	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:54

S10	8	(US-20020059564-\$ or US-20020092005-\$).did. or (US-5293631-\$ or US-5659754-\$ or US-6064820-\$ or US-6260190-\$ or US-6286135-\$ or US-6651247-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/18 08:44
S11	8	S10 and block and instruction	US-PGPUB; USPAT	OR	ON	2005/04/18 08:48
S12	8	S10 and block with instruction	US-PGPUB; USPAT	OR	ON	2005/04/18 08:56
S13	912	(instruction variable) with (identif\$8 refer%5) with (block near3 instruction)	US-PGPUB; USPAT	OR	ON	2005/04/18 08:58
S14	343	(instruction variable) near3 (identif\$8 refer%5) near3 (block near3 instruction)	US-PGPUB; USPAT	OR	ON	2005/04/18 08:58
S15	1	S14 and ssa	US-PGPUB; USPAT	OR	ON	2005/04/18 08:59
S16	6	S13 and ssa	US-PGPUB; USPAT	OR	ON	2005/04/18 09:25
S17	29	(use adj def)	US-PGPUB; USPAT	OR	ON	2005/04/18 09:27
S18	0	S17 with (block instructon)	US-PGPUB; USPAT	OR	ON	2005/04/18 09:25
S19	24	(use-def)	US-PGPUB; USPAT	OR	ON	2005/04/18 09:27
S20	14	(use-def) and ssa	US-PGPUB; USPAT	OR	ON	2005/04/18 09:27
S21	49	("4571678" "4763255" "4782444" "5249295" "5293631" "5327561" "5367651" "5367684" "5396631" "5418958" "5448737").PN. OR ("5659754").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 10:09
S22	87	value adj numbering	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 12:59
S23	607	type adj safe	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 14:00
S24	6629	ssa (static adj single adj assignment)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 13:03
S25	0	S23 with S24	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 13:03

S26	0	S23 same S24	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 13:03
S27	3	S23 and S24	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 13:03
S28	4675806	register type variable	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 14:06
S29	4275155	plane page table area	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 14:06
S30	43152	S28 near S29	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 14:07
S31	607	type adj safe	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 15:04
S32	2	S30 same S31	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 14:08
S33	50	S30 and S31	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 14:18
S34	75	S31 and "717".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 14:20
S35	655	type adj safe\$1	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 15:04
S36	50	S30 and S35	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 15:05
S37	1439	717/140-148.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 15:05
S38	25	S37 and S31	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 15:09
S39	10	S31.ti.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 15:06
S40	25	S37 and S35	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/18 15:09

S41	571	type adj (safe safty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:40
S42	178	safe adj (code variable instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:40
S43	10	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:41
S44	739	S41 S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:44
S45	1604854	tree intermediate (basic adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:45
S46	259	S44 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:46
S47	37	S44 same S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:12
S51	114	generating adj intermediate adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:14
S52	1123176	tag annotating mark marking identifying	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:15
S53	36	S51 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:15

S54	7	("5659753" "5668999" "5740441" "5748964" "5999731" "6075940" "6092147").PN. OR ("6851108").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/09 11:28
S55	609	type adj safe	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/18 12:54
S56	9	non adj S55	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/18 13:28
S57	1203	type near safe	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/18 13:28
S58	1299	type near safe\$1	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/18 13:28
S59	1601651	convert\$3 translat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/18 13:28
S60	14	S59 with S58	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/18 13:29
S61	24	("5315703" "5339438" "5361350" "5418964" "5421016" "5428792" "5493680" "5502839").PN. OR ("5761511").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/18 13:49
S62	2	"6151618".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:37
S63	597467	register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:08
S64	146	register with (efficient fast\$3) with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:09
S65	1471	717/140-148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:09

S66	10	S64 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:09
S67	0	"6851108".pn. and (stack same next)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:51
S68	0	"6851108".pn. and (stack with allocate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:52
S69	2	"6851108".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:52
S70	2	"6851108".pn. and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:52
S71	2	"6851108".pn. and (stack same frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:52
S72	0	"6851108".pn. and (stack adj frame) with place	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:58
S73	0	"6851108".pn. and (next with frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:58
S74	1	"6851108".pn. and (next)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:59
S75	0	"6851108".pn. and ((stack frame) with (top push add))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:59

S76	0	"6851108".pn. and ((stack frame) same (top push add))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:59
S77	1	"6851108".pn. and ((stack frame) same (allocate top push add))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:59